Wood Science Index . . . Vol. 5, 1972-73

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at a cost of 20¢ per printed page with a $1.50 maximum charge per reprint. The reprint number and cost per single copy are listed for each entry. Bulk rates are also available. A check or money order must accompany each order.

FPRS Subject Index

PRODUCTS DIVISION

Treated Wood Products

Determination of the Relative Permeability of Wood to Oil and Water, F. O. Tesoro, O. K. Kimbler, and E. T. Choong, 1:21 (No. 4748—$1.20)

Thermal Degradation of Cellulose and Levoglucosan—The Effect of Inorganic Salts, D. P. C. Fung, Y. Tsuchiya, and K. Sumi, 1:38 (No. 4640—$1.20)

Pulp & Paper

Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, F. F. Wangaard and G. E. Woodson, 3:235 (No. 4873—$1.20)

Bark & Residues

Properties of Southern Pine Needles, E. T. Howard, 4:281 (No. 4795—$1.20)

PROCESSES DIVISION

Timber Production

Above Ground Biomass Yields of Short-Rotation Sycamore, J. R. Saucier, A. Clark III, and R. G. McAlpine, 1:1 (No. 4668—$1.20)

Drying & Storage

Influence of Grain Angle on Twist in Seasoned Boards, V. Balodis, 1:44 (No. 4639—$1.40)

Role of Moisture in Hygrothermal Recovery of Wood, H. Kubler, 3:198 (No. 4858—$1.40)

Use of Wide Line NMR for Measurement of Moisture Content in Wood, A. J. Nanassy, 3:187 (No. 4869—$1.40)

Vapor Pressures Generated in Wood During Drying, D. P. Lowery, 1:73 (No. 4642—$1.50)

Gluing

Polymerization of Phenolic Resin at High Vapor Pressure, S.-Z. Chow and H. N. Mukai, 1:65 (No. 4673—$1.50)

Milling & Machining

Effects of Slots on "Critical Rim Temperature" and other Criteria of Sawblade Stability, W. M. McKenzie, 4:304 (No. 4870—$1.50)

Use of Ultrasonic Vibration in Turning Wood, M. Noguchi, K. Fujiwara, and H. Sugihara, 3:211 (No. 4710—$1.50)

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Above Ground Biomass Yields of Short-Rotation Sycamore, J. R. Saucier, A. Clark III, and R. G. McAlpine, 1:1 (No. 4668-$1.20)

Association Between Wood Characteristics and Growth Stress Level: A Preliminary Study, J. E. Nicholson, G. S. Campbell, and D. E. Bland, 2:109 (No. 4755—$.80)

Coloring of Mineral-Stained Maple, N. Levitin, 2:87 (No. 4824—$1.50)

Effect of Decay Fungi on the Microstructure of Red Oak Heartwood, E. R. Toole, 1:34 (No. 4644—$.80)

Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, F. F. Wangaard and G. E. Woodson, 3:235 (No. 4873—$1.20)

Gum Distribution in Yellow Birch, Z. Koran and K-C. Yang, 2:95 (No. 4703—$1.40)

Improved X-Ray Technique for Measuring Microfibril Angle of Coniferous Wood, M. L. M. El-Osta, R. W. Wellwood, and R. G. Butters, 2:113 (No. 4778—$1.00)

Influence of Grain Angle on Twist in Seasoned Boards, V. Balodis, 1:44 (No. 4639—$1.40)

Infrared Spectral Study of Woody Tissues from Four Conifers, S.-Z. Chow, 1:27 (No. 4645—$1.40)

Intra-Incremental Chemical Studies of Ring Shake in Scarlet Oak, E. A. McGinnes, Jr., and K. Y-t. Wu, 4:287 (No. 4875—$1.50)

Microfibrillar Orientation in Cell-Wall Layers of Virginia Pine Tracheids, R. C. Tang, 3:181 (No. 4868—$1.20)

Neutron Activation Analysis of Copper, Chromium, and Arsenic in Wood, J. A. Meyer and J. F. Siau, 2:147 (No. 4762—$1.20)

Wood Science Index . . . Vol. 5, 1972-73

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at a cost of 20¢ per printed page with a $1.50 maximum charge per reprint. The reprint number and cost per single copy are listed for each entry. Bulk rates are also available. A check or money order must accompany each order.

FPRS Subject Index

PRODUCTS DIVISION

Treated Wood Products

Determination of the Relative Permeability of Wood to Oil and Water, F. O. Tesoro, O. K. Kimbler, and E. T. Choong, 1:21 (No. 4748—$1.20)

Thermal Degradation of Cellulose and Levoglucosan—The Effect of Inorganic Salts, D. P. C. Fung, Y. Tsuchiya, and K. Sumi, 1:38 (No. 4640—$1.20)

Pulp & Paper

Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, F. F. Wangaard and G. E. Woodson, 3:235 (No. 4873—$1.20)

Bark & Residues

Properties of Southern Pine Needles, E. T. Howard, 4:281 (No. 4795—$1.20)

PROCESSES DIVISION

Timber Production

Above Ground Biomass Yields of Short-Rotation Sycamore, J. R. Saucier, A. Clark III, and R. G. McAlpine, 1:1 (No. 4668—$1.20)

Drying & Storage

Influence of Grain Angle on Twist in Seasoned Boards, V. Balodis, 1:44 (No. 4639—$1.40)

Role of Moisture in Hygrothermal Recovery of Wood, H. Kubler, 3:198 (No. 4858—$1.40)

Use of Wide Line NMR for Measurement of Moisture Content in Wood, A. J. Nanassy, 3:187 (No. 4869—$1.40)

Vapor Pressures Generated in Wood During Drying, D. P. Lowery, 1:73 (No. 4642—$1.50)

Gluing

Polymerization of Phenolic Resin at High Vapor Pressure, S.-Z. Chow and H. N. Mukai, 1:65 (No. 4673—$1.50)

Milling & Machining

Effects of Slots on "Critical Rim Temperature" and other Criteria of Sawblade Stability, W. M. McKenzie, 4:304 (No. 4870—$1.50)

Use of Ultrasonic Vibration in Turning Wood, M. Noguchi, K. Fujiwara, and H. Sugihara, 3:211 (No. 4710—$1.50)

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Above Ground Biomass Yields of Short-Rotation Sycamore, J. R. Saucier, A. Clark III, and R. G. McAlpine, 1:1 (No. 4668-$1.20)

Association Between Wood Characteristics and Growth Stress Level: A Preliminary Study, J. E. Nicholson, G. S. Campbell, and D. E. Bland, 2:109 (No. 4755—$.80)

Coloring of Mineral-Stained Maple, N. Levitin, 2:87 (No. 4824—$1.50)

Effect of Decay Fungi on the Microstructure of Red Oak Heartwood, E. R. Toole, 1:34 (No. 4644—$.80)

Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, F. F. Wangaard and G. E. Woodson, 3:235 (No. 4873—$1.20)

Gum Distribution in Yellow Birch, Z. Koran and K-C. Yang, 2:95 (No. 4703—$1.40)

Improved X-Ray Technique for Measuring Microfibril Angle of Coniferous Wood, M. L. M. El-Osta, R. W. Wellwood, and R. G. Butters, 2:113 (No. 4778—$1.00)

Influence of Grain Angle on Twist in Seasoned Boards, V. Balodis, 1:44 (No. 4639—$1.40)

Infrared Spectral Study of Woody Tissues from Four Conifers, S.-Z. Chow, 1:27 (No. 4645—$1.40)

Intra-Incremental Chemical Studies of Ring Shake in Scarlet Oak, E. A. McGinnes, Jr., and K. Y-t. Wu, 4:287 (No. 4875—$1.50)

Microfibrillar Orientation in Cell-Wall Layers of Virginia Pine Tracheids, R. C. Tang, 3:181 (No. 4868—$1.20)

Neutron Activation Analysis of Copper, Chromium, and Arsenic in Wood, J. A. Meyer and J. F. Siau, 2:147 (No. 4762—$1.20)

Neutron Activation Analysis of Inorganic Elements in Wood, J. A. Meyer and J. E. Langwig, 4:270 (No. 4754—$1.50)

Note on Hydrogen Bonding and Pit Aspiration, R. J. Thomas and K. P. Kringstad, 1:63 (No. 4740—$.40)

Physical and Chemical Properties of Slash Pine Tree Parts, E. T. Howard, 4:312 (No. 4928—$1.20)

Proportion of Wood Elements Within Eastern Cottonwood, J. G. Isebrands 2:139 (No. 4751—$1.50)

Radial Gradients of Elements in White Oak Wood, J. F. Wardell and J. H. Hart, 4:298 (No. 4876—$1.20)

Some Physical Properties of Yellow-Poplar Wood and Bark. Part I—Seasonal Moisture Content, D. R. Phillips and J. G. Schroeder, 4:265 (No. 4955—$1.00)

Tracheid Dimensions in Rootwood of Southern Pine, F. G. Manwiller, 2:122 (No. 4771—$.60)

Variation in Specific Gravity of Yellow-Poplar in the Southern Appalachians, E. R. Sluder, 2:132 (No. 4776—$1.40)

Variation of Anatomical Structure of False Rings in Eastern Redcedar, M. L. Kuo and E. A. McGinnes, Jr., 3:205 (No. 4863—$1.20)

Chemistry

Chemical Composition and Accessibility to Cellulase of Mesquite Wood, I. S. Goldstein and A. Villarreal, 1:15 (No. 4739—$1.20)

Intra-Incremental Chemical Studies of Ring Shake in Scarlet Oak, E. A. McGinnes, Jr., and K. Y-t. Wu, 4:287 (No. 4875—$1.50)

Neutron Activation Analysis of Copper, Chromium, and Arsenic in Wood, J. A. Meyer and J. F. Siau, 2:147 (No. 4762—$1.20)

Neutron Activation Analysis of Inorganic Elements in Wood, J. A. Meyer and J. E. Langwig, 4:270 (No. 4754—$1.50)

Note on Hydrogen Bonding and Pit Aspiration, R. J. Thomas and K. P. Kringstad, 1:63 (No. 4740—$.40)

Physical and Chemical Properties of Slash Pine Tree Parts, E. T. Howard, 4:312 (No. 4928—$1.20)

Polymerization of Phenolic Resin at High Vapor Pressure, S.-Z. Chow and H. N. Mukai, 1:65 (No. 4673—$1.50)

Properties of Southern Pine Needles, E. T. Howard, 4:281 (No. 4795—$1.20)

Thermal Degradation of Cellulose and Levoglucosan—The Effect of Inorganic Salts, D. P. C. Fung, Y. Tsuchiya, and K. Sumi, 1:38 (No. 4640—$1.20)

Physics

Air Permeability of Wood Measured by a Pseudo-Steady-State Method, R. T. Lin, 2:125 (No. 4702—$1.40)

Determination of the Relative Permeability of Wood to Oil and Water, F. O. Tesoro, O. K. Kimbler, and E. T. Choong, 1:21 (No. 4748—$1.20)

Effect of Compression on Electrical Properties of Wood and Cellulose, A. Venkateswaran, 3:230 (No. 4839—$1.00)

Effect of Organic Solvents on Wood-Steel Friction, R. M. Knudson and A. P. Schniewind, 2:153 (No. 4760—$1.50)

Heat of Combustion of Various Southern Pine Materials, E. T. Howard, 3:194 (No. 4803—$.80)

Improved X-Ray Technique for Measuring Microfibril Angle of Coniferous Wood, M. L. M. El-Osta, R. W. Wellwood, and R. G. Butters, 2:113 (No. 4778—$1.00)

Infrared Spectral Study of Woody Tissues from Four Conifers, S.-Z. Chow, 1:27 (No. 4645—$1.40)

Introduction to Thermal Analysis in the Combustion of Wood, F. C. Beall, 2:102 (No. 4801—$1.40)

Neutron Activation Analysis of Copper, Chromium, and Arsenic in Wood, J. A. Meyer and J. F. Siau, 2:147 (No. 4762—$1.20)

Neutron Activation Analysis of Inorganic Elements in Wood, J. A. Meyer and J. E. Langwig, 4:270 (No. 4754—$1.50)

Note on Densities and Conductivities of Wood, A. Venkateswaran, 1:60 (No. 4657—$.60)

Properties of Southern Pine Needles, E. T. Howard, 4:281 (No. 4795—$1.20)

Note on Hydrogen Bonding and Pit Aspiration, R. J. Thomas and K. P. Kringstad, 1:63 (No. 4740—$.40)

Quantitative Radiography and the Densitometric Analysis of Wood, H. Polge and J. W. P. Nicholls, 1:51 (No. 4660—$1.50)

Role of Moisture in Hygrothermal Recovery of Wood, H. Kubler, 3:198 (No. 4858—$1.40)

Thermal Degradation of Cellulose and Levoglucosan—The Effect of Inorganic Salts, D. P. C. Fung, Y. Tsuchiya, and K. Sumi, 1:38 (No. 4640—$1.20)

Use of Wide Line NMR for Measurement of Moisture Content in Wood, A. J. Nanassy, 3:187 (No. 4869—$1.40)

Vapor Pressures Generated in Wood During Drying, D. P. Lowery, 1:73 (No. 4642—$1.50)

Wood Engineering & Mechanical Properties

Association Between Wood Characteristics and Growth Stress Level: A Preliminary Study, J. E. Nicholson, G. S. Campbell, and D. E. Bland, 2:109 (No. 4755—$.80)

Deformation of Wood in Compression During Moisture Movement, L. D. Armstrong, 2:81 (No. 4789—$1.20)

Dynamic Young's Moduli of Wood Related to Moisture Content, R. C. Tang and N. N. Hsu, 1:7 (No. 4745—$1.50)

Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, F. F. Wangaard and G. E. Woodson, 3:235 (No. 4873—$1.20)

Influence of Anistropy on Fracture Toughness of Wood, M. Tomin, 2:118 (No. 4631—$.80)

Microtensile Strength of Spruce Pine after Exposure to Acids and Bases, F. G. Manwiller and P. R. Godfrey, 4:295 (No. 4897—$.60)

Plate Tests for Determination of Elastic Parameters of Wood, R. A. Gunnerson, J. R. Goodman, and J. Bodig, 4:241 (No. 4889—$1.50)

Prediction of Elastic Parameters for Wood, J. Bodig and J. R. Goodman, 4:249 (No. 4888—$1.50)

Reiner-Weisenberg's Theory Applied to Time-Dependent Fracture of Wood Subjected to Various Modes of Mechanical Loading, L. Bach, 3:161 (No. 4761—$1.50)

Tangential Failure of Small Wooden Cantilevered Beams with Square Notches, L. C. Palka and B. Holmes, 3:172 (No. 4797—$1.50)

Variation in Specific Gravity of Yellow-Poplar in the Southern Appalachians, E. R. Sluder, 2:132 (No. 4776—$1.40)

FPRS Author Index

A

ARMSTRONG, L. D., Deformation of Wood in Compression During Moisture Movement, 2:81 (No. 4789—$1.20)

B

BACH, L., Reiner-Weisenberg's Theory Applied to Time-Dependent Fracture of Wood Subjected to Various Modes of Mechanical Loading, 3:161 (No. 4761—$1.50)

BALODIS, V., Influence of Grain Angle on Twist in Seasoned Boards, 1:44 (No. 4639—$1.40)

BEALL, F. C., Introduction to Thermal Analysis in the Combustion of Wood, 2:102 (No. 4801—$1.40)

BLAND, D. E., *see* NICHOLSON, J. E.

BODIG, J., *see* GUNNERSON, R. A.

BODIG, J., and J. R. GOODMAN, Prediction of Elastic Parameters for Wood, 4:249 (No. 4888—$1.50)

BUTTERS, R. G., *see* EL-OSTA, M. L. M.

C

CAMPBELL, G. S. *see* NICHOLSON, J. E.

CHOONG, E. T., *see* TESORO, F. O.

CHOW, S.-Z., Infrared Spectral Study of Woody Tissues from Four Conifers, 1:27 (No. 4645—$1.40)

CHOW, S.-Z., and H. N. MUKAI, Polymerization of Phenolic Resin at High Vapor Pressure, 1:65 (No. 4673—$1.50)

CLARK, A., III, *see* SAUCIER, J. R.

E

EL-OSTA, M. L. M., R. W. WELLWOOD, and R. G. BUTTERS, Improved X-Ray Technique for Measuring Microfibril Angle of Coniferous Wood, 2:113 (No. 4778—$1.00)

F

FUJIWARA, K., *see* NOGUCHI, M.

FUNG, D. P. C., Y. TSUCHIYA, and K. SUMI, Thermal Degradation of Cellulose and Levoglucosan—The Effect of Inorganic Salts, 1:38 (No. 4640—$1.20)

G

GODFREY, P. R., *see* MANWILLER, F. G.

GOLDSTEIN, I. S., and A. VILLARREAL, Chemical Composition and Accessibility to Cellulase of Mesquite Wood, 1:15 (No. 4739—$1.20)

GOODMAN, J. R., *see* BODIG, J.

GOODMAN, J. R., *see* GUNNERSON, R. A.

GUNNERSON, R. A., J. R. GOODMAN, and J. BODIG, Plate Tests for Determination of Elastic Parameters of Wood, 4:241 (No. 4889—$1.50)

H

HART, J. H., *see* WARDELL, J. F.

HOLMES, B., *see* PALKA, L. C.

HOWARD, E. T., Heat of Combustion of Various Southern Pine Materials, 3:194 (No. 4803—$.80)

HOWARD, E. T., Physical and Chemical Properties of Slash Pine Tree Parts, 4:312 (No. 4928—$1.20)

HOWARD, E. T., Properties of Southern Pine Needles, 4:281 (No. 4795—$1.20)

HSU, N. N., *see* TANG, R. C.

I

ISEBRANDS, J. G., Proportion of Wood Elements Within Eastern Cottonwood, 2:139 (No. 4751—$1.50)

K

KIMBLER, O. K., *see* TESORO, F. O.

KNUDSON, R. M., and A. P. SCHNIEWIND, Effect of Organic Solvents on Wood-Steel Friction, 2:153 (No. 4760—$1.50)

KORAN, Z., and K-C. YANG, Gum Distribution In Yellow Birch, 2:95 (No. 4703—$1.40)

KRINGSTAD, K. P., *see* THOMAS, R. J.

KUBLER, H., Role of Moisture in Hygrothermal Recovery of Wood, 3:198 (No. 4858—$1.40)

KUO, M-L., and E. A. MCGINNES, JR., Variation of Anatomical Structure of False Rings in Eastern Redcedar, 3:205 (No. 4863—$1.20)

L

LANGWIG, J. E., *see* MEYER, J. A.

LEVITIN, N., Coloring of Mineral-Stained Maple, 2:87 (No. 4824—$1.50)

LIN, R. T., Air Permeability of Wood Measured by a Pseudo-Steady-State Method, 2:125 (No. 4702—$1.40)

LOWERY, D. P., Vapor Pressures Generated in Wood During Drying, 1:73 (No. 4642—$1.50)

M

MANWILLER, F. G., Tracheid Dimensions in Rootwood of Southern Pine, 2:122 (No. 4771—$.60)

MANWILLER, F. G., and P. R. GODFREY, Microtensile Strength of Spruce Pine after Exposure to Acids and Bases, 4:295 (No. 4897—$.60)

MCALPINE, R. G., *see* SAUCIER, J. R.

MCGINNES, E. A., JR, *see* KUO, M-L.

MCGINNES, E. A., JR., and K. Y-t. WU, Intra-Incremental Chemical Studies of Ring Shake in Scarlet Oak, 4:287 (No. 4875—$1.50)

MCKENZIE, W. M., Effects of Slots on "Critical Rim Temperature" and other Criteria of Sawblade Stability, 4:304 (No. 4870—$1.50)

MEYER, J. A., and J. E. LANGWIG, Neutron Activation Analysis of Inorganic Elements in Wood, 4:270 (No. 4754—$1.50)

MEYER, J. A., and J. F. SIAU, Neutron Activation Analysis of Copper, Chromium, and Arsenic in Wood 2:147 (No. 4762—$1.20)

MUKAI, H. N., *see* CHOW, S.-Z.

N

NANASSY, A. J., Use of Wide Line NMR for Measurement of Moisture Content in Wood, 3:187 (No. 4869—$1.40)

NICHOLLS, J. W. P., *see* POLGE, H.

NICHOLSON, J. E., G. S. CAMPBELL, and D. E. BLAND, Association Between Wood Characteristics and Growth Stress Level: A Preliminary Study, 2:109 (No. 4755—$.80)

NOGUCHI, M., K. FUJIWARA, and H. SUGIHARA, Use of Ultrasonic Vibration in Turning Wood, 3:211 (No. 4710—$1.50)

P

PALKA, L. C., and B. HOLMES, Tangential Failure of Small Wooden Cantilevered Beams with Square Notches, 3:172 (No. 4797—$1.50)

PHILLIPS, D. R., and J. G. SCHROEDER, Some Physical Properties of Yellow-Poplar Wood and Bark. Part I—Seasonal Moisture Content, 4:265 (No. 4955—$1.00)

POLGE, H., and J. W. P. NICHOLLS, Quantitative Radiography and the Densitometric Analysis of Wood, 1:51 (No. 4660—$1.50)

S

SAUCIER, J. R., A. CLARK III, and R. G. MCALPINE, Above Ground Biomass Yields of Short-Rotation Sycamore, 1:1 (No. 4668—$1.20)

SCHNIEWIND, A. P., *see* KNUDSON, R. M.

SCHROEDER, J. G., *see* PHILLIPS, D. R.

SIAU, J. F., *see* MEYER, J. A.

SLUDER, E. R., Variation in Specific Gravity of Yellow-Poplar in the Southern Appalachians, 2:132 (No. 4776—$1.40)

SUGIHARA, H., *see* NOGUCHI, M.

SUMI, K., *see* FUNG, D. P. C.

T

TANG, R. C., Microfibrillar Orientation in Cell-Wall Layers of Virginia Pine Tracheids, 3:181 (No. 4868—$1.20)

TANG, R. C., and N. N. HSU, Dynamic Young's Moduli of Wood Related to Moisture Content, 1:7 (No. 4745—$1.50)

TESORO, F. O., O. K. KIMBLER, and E. T. CHOONG, Determination of the Relative Permeability of Wood to Oil and Water, 1:21 (No. 4748—$1.20)

THOMAS, R. J., and K. P. KRINGSTAD, Note on Hydrogen Bonding and Pit Aspiration, 1:63 (No. 4740—$.40)

TOMIN, M., Influence of Anisotropy on Fracture Toughness of Wood, 2:118 (No. 4631—$.80)

TOOLE, E. R., Effect of Decay Fungi on the Microstructure of Red Oak Heartwood, 1:34 (No. 4644—$.80)

TSUCHIYA, Y., *see* FUNG, D. P. C.

V

VENKATESWARAN, A., Effect of Compression on Electrical Properties of Wood and Cellulose, 3:230 (No. 4839—$1.00)

VENKATESWARAN, A., Note on Densities and Conductivities of Wood, 1:60 (No. 4657—$.60)

VILLARREAL, A., *see* GOLDSTEIN, I. S.

W

WANGAARD, F. F., and G. E. WOODSON, Fiber Length-Fiber Strength Interrelationship for Slash Pine and its Effect on Pulp-Sheet Properties, 3:235 (No. 4873—$1.20)

WARDELL, J. F., and J. H. HART, Radial Gradients of Elements in White Oak Wood, 4:298 (No. 4876—$1.20)

WELLWOOD, R. W., *see* EL-OSTA, M. L. M.

WHITMORE, J. L., Wood Density Variation in Costa Rican Balsa, 3:223 (No. 4833—$1.40)

WOODSON, G. E., *see* WANGAARD, F. F.

WU, K. Y-t., *see* MCGINNES, E. A., JR.

Y

YANG, K-C., *see* KORAN, Z.